



Evelyn  
Scott  
School

2 Bielski Street, Denman Prospect, ACT 2611

Phone: 02 6142 3491

Email: [evelynscottschool.information@ed.act.edu.au](mailto:evelynscottschool.information@ed.act.edu.au)

Dear Families,

The ACT Public Health Regulations 2000, assigns to parents a responsibility to exclude their child from school and to notify the school if there are reasonable grounds for believing that their child has an infectious disease, or been in contact with a person who has one of the diseases listed.

Under the Regulations schools must also notify the Chief Health Officer if a child enrolled at the school has a vaccine preventable disease. This allows the Chief Health Officer to take any public health action necessary to prevent the further spread of the disease.

In the event of an outbreak of a vaccine preventable disease at the school, or in the community, the Chief Health Officer may issue a health direction to the school to take any specified action to reduce the public health risk caused by the outbreak.

If you have any questions in relation to these requirements, please ring the Communicable Disease Control Section, Health Directorate on (02) 6205 2155.

- Notifications should be made by telephone as soon as possible to:

ACT Health Directorate

Communicable Disease Control Section

Telephone: 6205 2155

The telephone advice should be followed up in writing on the template provided below by;

Fax: (02) 6205 0711, or

Email: [cdc@act.gov.au](mailto:cdc@act.gov.au).

Please see attached fact sheet regarding notifiable illnesses and their exclusion periods as they pertain to schools.



Condition	Exclusion period of person with condition	Exclusion of persons in contact with condition
Amoebiasis (entamoeba histolytica)	Exclude until diarrhoea ceases	Not excluded
*Campylobacteriosis	Exclude until diarrhoea ceases	Not excluded
Chicken pox (varicella and herpes zoster)	Exclude until the last blister has scabbed over. The child should not continue to be excluded by reason only of some remaining scabs.	Not excluded Any child with an immune deficiency (eg with leukaemia, or as a result of receiving chemotherapy) should be excluded for their own protection and seek urgent medical advice and varicella-zoster immunoglobulin (ZIG), if necessary.
Conjunctivitis (acute infectious)	Exclude until discharge from eyes ceases.	Not excluded
*Cryptosporidiosis	Exclude until diarrhoea ceases	Not excluded
Diarrhoea	Exclude until diarrhoea ceases	Not excluded
*#Diphtheria	Exclude until— at least 2 negative throat swabs have been taken (the first not less than 24 hours after cessation of antibiotic treatment and the second not less than 48 hours later), and a certificate is provided by a medical practitioner recommending that the exclusion should cease.	Exclude family and household contacts until approval to return has been given by the Chief Health Officer.
Giardiasis	Exclude until diarrhoea ceases	Not excluded
*# <i>Haemophilus influenzae</i> type b (Hib)	Exclude until a certificate is provided by a medical practitioner recommending that the exclusion should cease.	Not excluded
Hand, Foot and Mouth disease	Exclude if— child is unwell, or child is drooling, and not all blisters have dried or an exposed weeping blister is not covered with a dressing.	Not excluded
*Hepatitis A	Exclude for at least 7 days after the onset of jaundice and a certificate is provided by a medical practitioner recommending that the exclusion should cease.	Not excluded
Herpes (cold sores)	Exclude young children unable to comply with good hygiene practices while the lesion is weeping. Lesion to be covered by a dressing in all cases, if possible.	Not excluded



Impetigo (school sores)	Exclude until appropriate treatment has commenced and sores on exposed surfaces are covered with a watertight	Not excluded
Influenza and influenza-like illnesses	Exclude until well	Not excluded
*Leprosy	Exclude until approval to return has been given by the Chief Health Officer.	Not excluded
<b>Condition</b>	<b>Exclusion period of person with condition</b>	<b>Exclusion of persons in contact with condition</b>
*#Measles	Exclude for at least 4 days after the rash appears.	Immunised contacts not excluded. Exclude non-immunised contacts until 14 days after the first day of appearance of the rash in the index case. (b) Non-immunised contacts immunised with measles vaccine within 72 hours after their first contact with the index case are not excluded after being immunised. (d) Non-immunised contacts who are given normal human immunoglobulin (NHIG) within 7 days after their first contact with the index case are not excluded after being given NHIG.
Meningitis (bacterial)	Exclude until well	Not excluded
*Meningococcal infection	Exclude until adequate carrier eradication therapy has commenced.	Not excluded if receiving rifampicin or other antibiotic treatment recommended by the Chief Health Officer. Otherwise, excluded until 10 days after last contact with the index case.
*#Mumps	Exclude for 9 days after onset of symptoms, or until parotid swelling goes down (whichever is sooner).	Not excluded
*#Poliomyelitis	Exclude for at least 14 days after onset of symptoms and until a certificate is provided by a medical practitioner recommending that the exclusion should	Not excluded
Ringworm, scabies, pediculosis (lice), trachoma	Exclude until effective treatment has commenced.	Not excluded
Rotavirus	Exclude until diarrhoea ceases	Not excluded



*#Rubella (German measles)	Exclude for 4 days after the appearance of the rash.	Not excluded Female staff of child-bearing age should ensure that their immune status against rubella is adequate.
*Salmonellosis	Exclude until diarrhoea ceases	Not excluded
*Shigellosis	Exclude until diarrhoea ceases	Not excluded
Streptococcal infection (including scarlet fever)	Exclude until the person has recovered or has received antibiotic treatment for at least 24 hours.	Not excluded
*Tuberculosis	Exclude until approval to return has been given by the Chief Health Officer.	Not excluded
<b>Condition</b>	<b>Exclusion period of person with condition</b>	<b>Exclusion of persons in contact with condition</b>
*Typhoid and paratyphoid fever	Exclude until a certificate is provided by a medical practitioner recommending that the exclusion should cease.	(a) Not excluded unless the Chief Health Officer notifies the person in charge of the school. (a) If the Chief Health Officer gives notice, exclusion is subject to the conditions in the notice.
*#Whooping cough (pertussis)	Exclude for 21 days from start of cough, or for at least 5 days after starting a course of antibiotics recommended by the Chief Health Officer.	Exclude non-immunised household, home based child care and close child care contacts under 7 years old for 14 days after the last exposure to infection, or until 5 days after starting a course of antibiotics recommended by the Chief Health Officer (whichever is sooner)
Worms (intestinal)	Exclude until diarrhoea ceases	Not excluded
<p>A parent/carer of a child with a listed exclusion condition or a child who has been in contact with a listed exclusion condition must notify the school principal or principal carer as soon as possible.</p> <p>*These conditions must be notified by medical practitioners to the Chief Health Officer #These conditions must be notified by the school principal or principal carer to the Chief Health Officer.</p>		

As always, should you have any questions regarding this information, please do not hesitate to contact us.

Kind Regards,

Jackie Vaughan

Principal, Evelyn Scott School